CONTENTS
Vol. 30, No. 1, January 1990

Gorak, A., Kraslawski, A., and Vogelpohl, A. **1** The simulation and optimization of multicomponent distillation, *Chemie-Ingenieur-Technik* **59**, No. 2 (1987), Federal Republic of Germany.

Stammler, M. and Hass, H.J. **16** Methods of immobilizing soil contamination, *Chemie-Ingenieur-Technik* **59**, No. 5 (1987), Federal Republic of Germany.

Dohmen, H.-J., Janssen, M., and Grahl, K.G. **21** The calculation of three-dimensional parabolic flows with arbitrary boundary geometries, *Forschung im Ingenieurwesen* **53**, pp. 125–136 (1987), Federal Republic of Germany.

Thurner, F. and Stietz, M. **36** Determination of adsorption isotherms on solvent-wet adsorbents by the flow method, *Chemical Engineering and Processing* **18**, No. 6 (1984), Federal Republic of Germany.

Krell, L., Künne, H.-J., and Mörl, L. **45** Flow regimes and heat and mass transport in gas-fluidized beds of solids, *Chemische Technik* **39**, No. 5 (1987), German Democratic Republic.

Zhukova, T.B., Pisarenko, V.N., and Kafarov, V.V. **57** Modeling and design of industrial reactors with a stationary bed of catalyst and two-phase gas-liquid flow—a review, *Itogi Nauki i Tekhniki, Seriya Protsessy i Apparaty Kimicheskoi Tekhnologii* **13** (1985), Soviet Union.

Salager, J.-L. **103** The fundamental basis for the action of a chemical dehydrant. Influence of the physical and chemical formulation on the stability of an emulsion, *Revista Tecnica INTEVEP* **7**, No. 1 (1987), Venezuela.

Vazquez, G., Antorrena, G., Bermudez, A., Chenlo, F., and Otero, D. **117** The interfacial velocity between two liquid phases in laminar flow through a rectangular channel, *Anales de Quimica, Serie A, Quimica Fisica y Quimica Tecnica* **83**, No. 3 (1987), Spain.

Mori, Y., Uemae, H., Hibino, S., and Eguchi, W. **124** Proper condition of the surfactant liquid membrane for the recovery and concentration of chromium (VI) from an aqueous sulfuric acid solution, *Kagaku Kogaku Ronbunshu* **13**, No. 4 (1987), Japan.

Hasatani, M., Watanabe, F., and Marumo, C. **134** Separation of air at low temperature by structural molecular-sieving carbon, *Kagaku Kogaku Ronbunshu* **14**, No. 1 (1988), Japan.

Yoshida, M., Matsumoto, S., Honda, G., Iwama, T., Suzuki, Y., and Odagiri, S. **142** Control of the temperature distribution in a supercritical-gas extractor, *Kagaku Kogaku Ronbunshu* **14**, No. 2 (1988), Japan.

CONTENTS
Vol. 30, No. 1, January 1990

Gorak, A., Kraslawski, A., and Vogelpohl, A. **1** The simulation and optimization of multicomponent distillation, *Chemie-Ingenieur-Technik* **59**, No. 2 (1987), Federal Republic of Germany.

Stammler, M. and Hass, H.J. **16** Methods of immobilizing soil contamination, *Chemie-Ingenieur-Technik* **59**, No. 5 (1987), Federal Republic of Germany.

Dohmen, H.-J., Janssen, M., and Grahl, K.G. **21** The calculation of three-dimensional parabolic flows with arbitrary boundary geometries, *Forschung im Ingenieurwesen* **53**, pp. 125–136 (1987), Federal Republic of Germany.

Thurner, F. and Stietz, M. **36** Determination of adsorption isotherms on solvent-wet adsorbents by the flow method, *Chemical Engineering and Processing* **18**, No. 6 (1984), Federal Republic of Germany.

Krell, L., Künne, H.-J., and Mörl, L. **45** Flow regimes and heat and mass transport in gas-fluidized beds of solids, *Chemische Technik* **39**, No. 5 (1987), German Democratic Republic.

Zhukova, T.B., Pisarenko, V.N., and Kafarov, V.V. **57** Modeling and design of industrial reactors with a stationary bed of catalyst and two-phase gas-liquid flow—a review, *Itogi Nauki i Tekhniki, Seriya Protsessy i Apparaty Kimicheskoi Tekhnologii* **13** (1985), Soviet Union.

Salager, J.-L. **103** The fundamental basis for the action of a chemical dehydrant. Influence of the physical and chemical formulation on the stability of an emulsion, *Revista Tecnica INTEVEP* **7**, No. 1 (1987), Venezuela.

Vazquez, G., Antorrena, G., Bermudez, A., Chenlo, F., and Otero, D. **117** The interfacial velocity between two liquid phases in laminar flow through a rectangular channel, *Anales de Quimica, Serie A, Quimica Fisica y Quimica Tecnica* **83**, No. 3 (1987), Spain.

Mori, Y., Uemae, H., Hibino, S., and Eguchi, W. **124** Proper condition of the surfactant liquid membrane for the recovery and concentration of chromium (VI) from an aqueous sulfuric acid solution, *Kagaku Kogaku Ronbunshu* **13**, No. 4 (1987), Japan.

Hasatani, M., Watanabe, F., and Marumo, C. **134** Separation of air at low temperature by structural molecular-sieving carbon, *Kagaku Kogaku Ronbunshu* **14**, No. 1 (1988), Japan.

Yoshida, M., Matsumoto, S., Honda, G., Iwama, T., Suzuki, Y., and Odagiri, S. **142** Control of the temperature distribution in a supercritical-gas extractor, *Kagaku Kogaku Ronbunshu* **14**, No. 2 (1988), Japan.

Yamashita, Y., Shoji, S., and Suzuki, M. **151** A fault-diagnosis system based on qualitative reasoning, *Kagaku Kogaku Ronbunshu* **14**, No. 3, pp. 387–394 (1988), Japan.

Yamazaki, M., Ohya, M., and Tsuchiya, K. **160** Detection of the air-equivalence ratio of a burner from the flame-emission spectra, *Kagaku Kogaku Ronbunshu* **14**, No. 6 (1988), Japan.

Kim, H.S. and Kim, W.S. **169** The mechanism of droplet formation and prediction of the droplet size in a liquid-liquid system, *Hwahak Konghak* **22**, No. 6 (1984), Republic of Korea.

Youn, J.-T., Han, S.-K., and Rhee, B.-S. **176** Gas absorption in an aqueous polymer solution using a rotating multiroller (RMR) absorber, *Hwahak Konghak* **25**, No. 3 (1987), Republic of Korea.

184 International Schedule of Future Chemical Engineering Meetings.

CONTENTS
Vol. 30, No. 2, April 1990

Brunner, G. **191** Mass separation with supercritical gases (gas extraction), *Chemie-Ingenieur-Technik* **59**, No. 1 (1987), Federal Republic of Germany.

Blass, E. **206** Formation and coalescence of bubbles and droplets, *Chemie-Ingenieur-Technik* **60**, No. 12 (1988), Federal Republic of Germany.

Daraktschiev, R. **222** The distribution of gas over the cross section of packed towers, *Chemical Engineering and Processing* **18**, No. 6 (1984), Federal Republic of Germany/Bulgaria.

Vazquez, G., Antorrena, G., and Navaza, J.M. **228** Estimation of the turbulence induced by the Marangoni effect at a gas-liquid interface, *Anales de Quimica, Serie A, Quimica Fisica y Quimica Tecnica* **83**, No. 3 (1987), Spain.

Sobron, F., Rabanillo, L., and Lopez, J.M. **236** A model for heat and mass transfer in laminar flow through tubes with axial diffusion, *Anales de Quimica, Serie A, Quimica Fisica y Quimica Tecnica* **84**, No. 1 (1988), Spain.

Aragaki, T., Toyama, S., Salah, H.M., Murase, K., and Suzuki, M. **241** Transitional zone in a falling liquid film, *Kagaku Kogaku Ronbunshu* **13**, No. 3 (1987), Japan.

Hao, Y.-J. and Tanaka, T. **244** Analysis of a solid-solid reaction controlled by unidirectional diffusion, *Kagaku Kogaku Ronbunshu* **13**, No. 6 (1987), Japan.

Hashimoto, O., Mori, S., Hiraoka, S., Yamada, I., Kojima, T., and Tsuji, K. **254** Heat transfer to the surface of vertical tubes in the freeboard of a turbulent fluidized bed, *Kagaku Kogaku Ronbunshu* **14**, No. 3 (1988), Japan.

Ito, R., Anabuki, K., and Kondo, O. **259** Simulation of continuous separation of proteins by isoelectric focusing, *Kagaku Kogaku Ronbunshu* **14**, No. 3 (1988), Japan.

Takeshita, T., Harada, M., Yoshimi, H., Yamazaki, R., and Jimbo, G. **268** Characteristics of discharge of aerated granular materials through an orifice, *Kagaku Kogaku Ronbunshu* **14**, No. 3 (1988), Japan.

Kamiwano, M., Saito, F., and Kaminoyama, M. **274** Velocity distribution and apparent viscosity of a pseudoplastic liquid in a stirred vessel, *Kagaku Kogaku Ronbunshu* **14**, No. 3 (1988), Japan.

Tone, S. and Nakamura, H. **281** Pressure-driven optical resolution of amino acids using enzyme-immobilized composite membranes, *Kagaku Kogaku Ronbunshu* **14**, No. 3 (1988), Japan.

Izumi, M., Oh-uchi, M., Takahashi, S., Yamakawa, N., and Westwater, J.W. **289** Effect of obliquely scratched surface-roughness on heat transfer during condensation, *Kagaku Kogaku Ronbunshu* **14**, No. 3 (1988), Japan.

Takao, M. **297** A comment on two modified numerical methods for solving steady, one-dimensional diffusion, *Kagaku Kogaku Ronbunshu* **15**, No. 1 (1989), Japan.

Hibiki, T., Yamaguchi, M., and Katayama, T. **300** Formation of single charged droplets from a laminar liquid jet in a uniform electric field, *Kagaku Kogaku Ronbunshu* **14**, No. 4 (1988), Japan.

Han, S.B. and Park, P.W. **308** Absorption from a rising bubble of SO_2 into pure water, *Hwahak Konghak* **23**, No. 6 (1985), Republic of Korea.

Kim, L.H., Choi, C.K., and Choi, U. **318** Natural convection induced by mass transfer through a membrane. A theoretical model for interfacial convection at high Rayleigh numbers, *Hwahak Konghak* **25**, No. 2 (1987), Republic of Korea.

Wanik, A. **326** Effect of flow-disturbing rings (furring) on the thermal and hydraulic characteristics of shell-and-tube heat-exchangers, *Inzynieria Chemiczna i Procesowa*, No. 4 (1986), Poland.

Yu, D., Xue, Z., Ma, X., Zhou, M., Jin, J., and Shi, S. **334** Extraction of diesel oil from middle distillate in coal liquefaction by hydrotreating and hydrocracking, *Ranliao Huaxue Xuebao* **16**, No. 4 (1988), People's Republic of China.

Pavel, A. and Dascalu, C. **343** Thermal design of industrial flares. Part I, *Revista de Chimii* **38**, No. 8 (1987), Romania.

Pavel, A. and Dascalu, C. **353** The thermal design of industrial flares. Part II, *Revista de Chimii* **38**, No. 9 (1987), Romania.

365 International Schedule of Chemical Engineering Meetings.

CONTENTS
Vol. 30, No. 3, July 1990

Brehm, G. and Brauer, H. **375** Investigation of turbulence in grids of particles, *VDI-Forschungsheft* **616** (1983), Federal Republic of Germany.

Müller-Steinhagen, H., and Schlünder, E.U. **419** The effect of thermal conduction in the tube wall on the perimeter-average heat transfer coefficient for boiling in horizontal evaporator tubes, *Chemical Engineering and Processing* **18**, No. 6 (1984), Federal Republic of Germany.

Schügerl, K., Lübbert, A., and Scheper, T. **433** Online process analysis in bioreactors, *Chemie-Ingenieur-Technik* **59**, No. 9 (1987), Federal Republic of Germany.

Aly, S., Pibouleau, L., and Domenech, S. **452** Treatment of batch, packed distillation by a finite-element method. Part I. Steady-state model with axial dispersion, *Entropie* **23**, No. 136 (1987), France.

Aly, S., Pibouleau, L., and Domenech, S. **464** Treatment of batch, packed distillation by a finite-element method. Part II. A steady-state model with axial and radial dispersion and a dynamic model, *Entropie* **23**, No. 136 (1987), France.

Vlaminck, M. **479** Prediction of thermodynamic properties of organic fluids with the help of computer software, *Entropie* **24**, No. 139 (1988), France.

Houchal, A., Mainardi, H., and Pouliquen, J.M. **487** Heat transfer coefficients in steady and transient two-phase flows, *Entropie* **24**, No. 140 (1988), France.

Aragaki, T., Toyama, S., Salah, H.M., Murase, K., and Suzuki, M. **495** Transitional zone in a falling liquid film, *Kagaku Kogaku Ronbunshu* **13**, No. 3 (1987), Japan.

Hayashi, Y., Nakano, Y., Hirai, E., and Kageyama, N. **498** Characteristics of packed columns operated as a cross flow cascade, *Kagaku Kogaku Ronbunshu* **14**, No. 3 (1988).

Ono, H., Fujiwara, K., Sugiyama, E., and Yoshida, K. **503** Development of a process for the direct liquid-phase synthesis of ethanol from carbon monoxide and hydrogen using a homogeneous ruthenium catalyst, *Kagaku Kogaku Ronbunshu* **14**, No. 4 (1988), Japan.

Kato, K., Ishihara, H., Yoshie, K., Kakinuma, K., and Takarada, T. **509** Natural convective heat transfer between heated vertical, parallel plates with baffles at the top and bottom, *Kagaku Kogaku Ronbunshu* **14**, No. 5 (1988), Japan.

Kamienski, J. **517** Mixing power of turbine-type impellers with divided, inclined blades, *Inzynieria Chemiczna i Procesowa* **7**, No. 3 (1986), Poland.

Tal-Figiel, B. **526** Conditions for instability of the liquid-liquid interface in an ultrasonic field, *Inzynieria Chemiczna i Procesowa* **7**, No. 4 (1986), Poland.

Pavel, A. and Dascalu, C. **535** The thermal design of industrial flares. Part III, *Revista de Chimii (Bucharest)* **39**, No. 9 (1988), Romania.

Kasper, V., Eckert, E., and Marek, M. **547** The use of global access in the simulation of rectification and absorption, *Chemický Průmysl* **38** (63), No. 1 (1988), Czechoslovakia.

Zábranský, M., Růzicka, V., Jr., and Barcal, P. **554** Heat capacities of pure inorganic liquids and their specific heats and melting points, *Chemický Průmysl* **38** (63), No. 2 (1988), Czechoslovakia.

Vránek, M., Seichter, P., and Sláma, V. **562** Measurement of the power for systems of radial turbine impellers in nonstandard vessels, *Chemický Průmysl* **38** (63), No. 5 (1988), Czechoslovakia.

González-Velasco, J.R., Gutiérrez-Ortiz, M.A., Castresana-Pelyao, J.M., and González-Marcos, J.A. **568** Modeling of batch distillation by the pulse-response method, *Anales de Química, Serie A, Química Física y Química Técnica* **84**, No. 3 (1988), Spain.

575 International Schedule of Chemical Engineering Meetings.

CONTENTS
Vol. 30, No. 4, October 1990

Marquardt, W. **585** Traveling waves in chemical processes, *Chemie-Ingenieur-Technik* **61**, No. 5 (1989), Federal Republic of Germany.

Görner, K. and Zinser, W. **607** Simulation of industrial combustion systems, *Chemie-Ingenieur-Technik* **59**, No. 11 (1987), Federal Republic of Germany

Friedel, L. and Westphal, F. **620** Models for the prediction of leakage rates from pressurized equipment and pipes in chemical plants, *Chemie-Ingenieur-Technik* **59**, No. 4 (1987), Federal Republic of Germany.

Abid, M., Gibert, R., and Laguerie, C. **632** An experimental and theoretical analysis of the mechanisms of heat and mass transfer during the drying of corn grains in a fluidized bed, *Entropie* **24**, No. 139 (1988), France.

Rene, G. and Lalande, M. **643** Description and measurement of the fouling of heat exchangers in the thermal treatment of milk, *Entropie* **24**, No. 139 (1988), France.

Moyne, C., Stemmelen, D., and Degiovanni, A. **654** Asymmetric drying of porous materials at high temperature. Theoretical analysis and experiments, *Entropie* **24**, No. 141 (1988), France.

Barious, B., Foyen, S., Mameri, N., and Jarny, Y. **672** Ultrafiltration in an unstirred cell. 1. Uncharged macromolecules at a rejection ration of $R = 1$ in the absence of a gel, *Entropie* **24**, No. 142 (1988), France.

LePalec, G. and Daguenet, M. **683** Mixed convection about a sphere rotating in forced axial flow, *Entropie* **24**, No. 142 (1988), France.

Hayashi, N., Iwata, M., Kato, I., Takemura, K., Murase, T., and Shirato, M. **691** Effect of residual polymer flocculant on the CST test for determining the optimum dosage, *Kagaku Kogaku Ronbunshu* **14**, No. 4 (1988), Japan.

Sato, M., Tokita, K., Sadakata, M., Sakai, T., and Nakanishi, K. **695** Sterilization of microorganisms by a high-voltage, pulsed discharge under water, *Kagaku Kogaku Ronbunshu* **14**, No. 4 (1988), Japan.

Murakami, M., Maruo, K., and Yoshiki, T. **699** Development of an electromagnetic flowmeter for studying gas-liquid, two-phase flow, *Kagaku Kogaku Ronbunshu* **14**, No. 4 (1988), Japan.

Kuriyama, M., Harada, E., and Konno, H. **703** An analogy between heat and momentum transfer for the flow of solid-liquid suspensions in a cylindrical pipe, *Kagaku Kogaku Ronbunshu* **14**, No. 5 (1988), Japan.

Hatano, H. and Ishida, M. **712** Interphase mass transfer with adsorption and chemical reaction in a fluidized bed, *Kagaku Kogaku Ronbunshu* **14**, No. 5 (1988), Japan.

Kaminoyama, M., Saito, F., and Kamiwano, M. **720** Numerical analysis of three-dimensional flow of a pseudoplastic liquid in a stirred vessel with a turbine impeller, *Kagaku Kogaku Ronbunshu* **14**, No. 6 (1988), Japan.

Bando, Y., Kuraishi, M., Nishimura, M., Hattori, M., and Takeshita, I. **729** The characteristics of flow of a bubble column with a gas-suction-type, simultaneous gas-liquid injection-nozzle, *Kagaku Kogaku Ronbunshu* **14**, No. 6 (1988), Japan.

Imakoma, H., Sang, K., and Okazaki, M. **738** The effective thermal conductivity of fibrous insulations, *Kagaku Kogaku Ronbunshu* **15**, No. 1 (1989), Japan.

Motono, K., Nomura, S., and Tanaka, T. **747** Prediction of dead-zone boundaries in bulk solids in two-dimensional gravitational flow, *Kagaku Kogaku Ronbunshu* **15**, No. 1 (1989), Japan.

Miyakawa, H., Honda, K., and Munakata, T. **756** The effect of composition on the performance of a packed distillation column, *Kagaku Kogaku Ronbunshu* **15**, No. 1 (1989), Japan.

Lee, J.D., Choi, C.K., and Shin, C.B.

761 The analysis of thermal instability in a horizontal fluid layer heated from below with a uniform, constant heat flow, *Hwahak Konghak* **26**, No. 3 (1988), Republic of Korea.

Vajda, T. and Törös, R.

767 A modern theory of filtration and its application in the optimization of the operation of various filters. Part 1, *Magyar Kémikusok Lapja* **43**, No. 10 (1988), Hungary.

776 Index of authors, Volume 30, Nos. 1, 2, 3, and 4 (1990).

780 Contents, Volume 30, Nos. 1, 2, 3, and 4 (1990).

787 International Schedule of Chemical Engineering Meetings.